

CONTENTS OF VOLUME 13

| | | | |
|---|---------|--|---------|
| AZEVEDO, CAIO L. N. <i>See</i> Chaves, Nathalia L., Azevedo, Caio L. N., Vilca-Labra, Filidor, and Nobre, Juvêncio S. | 335–346 | studies with interval-censored data | 181–191 |
| CAI, JINGHENG. <i>See</i> Liang, Chenyi and Cai, Jingheng | 49–63 | EISINGER, ROBERT D., SU, XIAO, AND CHEN, YUGUO. Sampling high dimensional ta- bles with applications to assessing linkage disequilibrium | 157–166 |
| CAO, MINGXIANG, SUN, PENG, HE, DAOJIANG, WANG, RUI, AND XU, XINGZHONG. A test on linear hypothesis of k -sample means in high-dimensional data | 27–36 | FAN, SHUQIN, ZHAO, WEI, WAN, ALAN T. K., AND ZHOU, YONG. A composite nonparamet- ric product limit approach for estimating the distribution of survival times under length- biased and right-censored data | 221–235 |
| CHAVES, NATHALIA L., AZEVEDO, CAIO L. N., VILCA-LABRA, FILIDOR, AND NO- BRE, JUVÊNCIO S. A log Birnbaum- Saunders regression model based on the skew-normal distribution under the centred parameterization | 335–346 | FAN, XIAODAN. <i>See</i> Wang, Chaojie, Shen, Ling- hao, Li, Han, and Fan, Xiaodan | 17–25 |
| CHEN, MIN. <i>See</i> Zhang, Chiyu, Chen, Min, and Wang, Xinlei | 449–464 | FAN, YIFAN, ZHANG, HUIMING, AND YAN, TING. Asymptotic theory for differentially pri- vate generalized β -models with parameters increasing | 385–398 |
| CHEN, MING-HUI. <i>See</i> Kim, Sungduk, Chen, Ming-Hui, Ibrahim, Joseph, Shah, Arvind, and Lin, Jianxin | 485–500 | FUH, CHENG-DER, IP, EDWARD HAKSING, AND CHEN, SHYH-HUEI. Computerized adap- tive test using raw responses for item selec- tion: theoretical results and applications for the up-and-down method | 317–333 |
| CHEN, MING-HUI. <i>See</i> Ma, Zhihua, Chen, Ming- Hui, and Tang, Yi | 437–447 | GENTON, MARC G. <i>See</i> Shi, Jiandong, Tong, Tiejun, Wang, Yuedong, and Genton, Marc G. | 519–531 |
| CHEN, SHYH-HUEI. <i>See</i> Fuh, Cheng-Der, Ip, Ed- ward Haksing, and Chen, Shyh-Huei | 317–333 | HE, DAOJIANG. <i>See</i> Cao, Mingxiang, Sun, Peng, He, Daojiang, Wang, Rui, and Xu, Xingzhong | 27–36 |
| CHEN, YONG. <i>See</i> Marks-Anglin, Arielle and Chen, Yong | 475–484 | HE, YONG. <i>See</i> Zhang, Mingjuan, He, Yong, Zhou, Cheng, and Zhang, Xinsheng | 37–48 |
| CHEN, YUGUO. <i>See</i> Eisinger, Robert D., Su, Xiao, and Chen, Yuguo | 157–166 | HELALI, SALIMA AND SLAOUI, YOUSRI. Estima- tion of a distribution function using Lagrange polynomials with Tchebychev-Gauss points | 399–410 |
| CHOI, TAERYON. <i>See</i> Lim, Daeyoung, Park, Beomjo, Nott, David, Wang, Xueou, and Choi, Taeryon | 237–249 | HO, SZE-YUI. <i>See</i> Zhou, Yuejin, Ho, Sze-Yui, Liu, Jiahua, and Tong, Tiejun | 167–179 |
| CHU, HAITAO. <i>See</i> Lin, Lifeng, Chu, Haitao, and Hodges, James S. | 425–436 | HODGES, JAMES S. <i>See</i> Lin, Lifeng, Chu, Haitao, and Hodges, James S. | 425–436 |
| CUI, YAN, ZHU, FUKANG, AND LI, WAI KEUNG. Modeling RCOV matrices with a generalized threshold conditional autoregressive Wishart model | 77–89 | HUANG, HAILIN, SHANGGUAN, JIZI, LI, YUAN- ZHANG, AND LIANG, HUA. Bi-level variable selection in high dimensional Tobit models . | 151–156 |
| DAVIS, RONALD W. <i>See</i> Zhang, Yuping, Ouyang, Zhengqing, Qian, Wei-Jun, Smith, Richard D., Wong, Wing Hung, and Davis, Ro- nald W. | 465–474 | HWANG, HYUNSOO. <i>See</i> DeSantis, Stacia M. and Hwang, Hyunsoo | 511–517 |
| DE JESUS, SANDRA R. <i>See</i> Tomazella, Vera L. D., de Jesus, Sandra R., Louzada, Francisco, Nadarajah, Saralees, and Ramos, Pedro L. . | 139–149 | IBRAHIM, JOSEPH. <i>See</i> Kim, Sungduk, Chen, Ming-Hui, Ibrahim, Joseph, Shah, Arvind, and Lin, Jianxin | 485–500 |
| DESANTIS, STACIA M. AND HWANG, HYUNSOO. Sample size estimation for future studies using Bayesian multivariate network meta- analysis | 511–517 | IP, EDWARD HAKSING. <i>See</i> Fuh, Cheng-Der, Ip, Edward Haksing, and Chen, Shyh-Huei | 317–333 |
| DONG, FANGLI. <i>See</i> Wang, Xiaozhou and Dong, Fangli | 127–137 | JIANG, FEI. <i>See</i> Lam, Chi Kin, Jin, Huqing, Jiang, Fei, and Yin, Guosheng | 251–260 |
| DOS SANTOS, THIAGO R. <i>See</i> Rego, Arthur T. and dos Santos, Thiago R. | 209–219 | JIAO, YANG, MUN, EUN-YOUNG, TRIKALINOS, THOMAS A., AND XIE, MINGE. A CD- based mapping method for combining mul- tiple related parameters from heterogeneous intervention trials | 533–549 |
| DU, MINGYUE, LI, HUIQIONG, AND SUN, JIANGUO. Additive hazards regression for case-cohort | | | |

| | | | |
|---|---------|---|---------|
| JIN, HUAQING. <i>See</i> Lam, Chi Kin, Jin, Huaqing, Jiang, Fei, and Yin, Guosheng | 251–260 | LIU, JIAHUA. <i>See</i> Zhou, Yuejin, Ho, Sze-Yui, Liu, Jiahua, and Tong, Tiejun | 167–179 |
| KANG, SANGWOOK. <i>See</i> Lu, Tsui-Shan, Kang, Sangwook, and Zhou, Haibo | 373–383 | LIU, JIN. <i>See</i> Xu, Ke, Sun, Luping, Liu, Jin, Zhu, Xuening, and Wang, Hansheng | 261–270 |
| KIM, SUNGDUK, CHEN, MING-HUI, IBRAHIM, JOSEPH, SHAH, ARVIND, AND LIN, JIANXIN. Bayesian flexible hierarchical skew heavy-tailed multivariate meta regression models for individual patient data with applications | 485–500 | LIU, LEI. <i>See</i> Liu, Yue, Lin, Ye, Zhou, Jianhui, and Liu, Lei | 411–422 |
| KWAN, HIU-YEE. <i>See</i> Yang, Ke, Kwan, Hiu-Yee, Yu, Zhiling, and Tong, Tiejun | 501–510 | LIU, PENGYI, YUEN, KAM CHUEN, WU, LIU-CANG, TIAN, GUO-LIANG, AND LI, TAO. Zero-one-inflated simplex regression models for the analysis of continuous proportion data | 193–208 |
| LAM, CHI KIN, JIN, HUAQING, JIANG, FEI, AND YIN, GUOSHENG. A variable selection approach to multiple change-points detection with ordinal data | 251–260 | LIU, YUE, LIN, YE, ZHOU, JIANHUI, AND LIU, LEI. A semi-parametric joint latent class model with longitudinal and survival data | 411–422 |
| LEE, J. JACK. <i>See</i> Wang, Yaping, Zhu, Hongjian, and Lee, J. Jack | 287–315 | LOUZADA, FRANCISCO. <i>See</i> Tomazella, Vera L. D., de Jesus, Sandra R., Louzada, Francisco, Nadarajah, Saralees, and Ramos, Pedro L. | 139–149 |
| LI, HAN. <i>See</i> Wang, Chaojie, Shen, Linghao, Li, Han, and Fan, Xiaodan | 17–25 | LU, TSUI-SHAN, KANG, SANGWOOK, AND ZHOU, HAIBO. Semiparametric accelerated failure time modeling for multivariate failure times under multivariate outcome-dependent sampling designs | 373–383 |
| LI, HUIQIONG. <i>See</i> Du, Mingyue, Li, Huiqiong, and Sun, Jianguo | 181–191 | LU, YI-CHANG. <i>See</i> Wu, Guani, Li, Yu-Cheng, Lu, Yi-Chang, Li, Ker-Chau, and Yuan, Shinsheng | 119–125 |
| LI, KER-CHAU. <i>See</i> Wu, Guani, Li, Yu-Cheng, Lu, Yi-Chang, Li, Ker-Chau, and Yuan, Shinsheng | 119–125 | MA, ZHIHUA, CHEN, MING-HUI, AND TANG, YI. Bayesian meta-regression model using heavy-tailed random-effects with missing sample sizes for self-thinning meta-data | 437–447 |
| LI, TAO. <i>See</i> Liu, Pengyi, Yuen, Kam Chuen, Wu, Liu-Cang, Tian, Guo-Liang, and Li, Tao | 193–208 | MARKS-ANGLIN, ARIELLE AND CHEN, YONG. Small-study effects: current practice and challenges for future research | 475–484 |
| LI, WAI KEUNG. <i>See</i> Cui, Yan, Zhu, Fukang, and Li, Wai Keung | 77–89 | MU, YAN. <i>See</i> Yuan, Huiling, Mu, Yan, and Zhou, Yong | 91–101 |
| LI, YAN, LI, YANG, QIN, YICHEN, AND YAN, JUN. Copula modeling for data with ties | 103–117 | MUN, EUN-YOUNG. <i>See</i> Jiao, Yang, Mun, Eun-Young, Trikalinos, Thomas A., and Xie, Minge | 533–549 |
| LI, YANG. <i>See</i> Li, Yan, Li, Yang, Qin, Yichen, and Yan, Jun | 103–117 | NADARAJAH, SARALEES. <i>See</i> Tomazella, Vera L. D., de Jesus, Sandra R., Louzada, Francisco, Nadarajah, Saralees, and Ramos, Pedro L. | 139–149 |
| LI, YU-CHENG. <i>See</i> Wu, Guani, Li, Yu-Cheng, Lu, Yi-Chang, Li, Ker-Chau, and Yuan, Shinsheng | 119–125 | NG, CHI TIM. <i>See</i> Zhang, Kaimeng and Ng, Chi Tim | 65–75 |
| LI, YUANZHANG. <i>See</i> Huang, Hailin, Shangguan, Jizi, Li, Yuanzhang, and Liang, Hua | 151–156 | NOBRE, JUVÊNCIO S. <i>See</i> Chaves, Nathalia L., Azevedo, Caio L. N., Vilca-Labra, Filidor, and Nobre, Juvêncio S. | 335–346 |
| LIANG, CHENYI AND CAI, JINGHENG. Bayesian variable selection and estimation in joint confirmatory factor analysis–Cox model | 49–63 | NOTT, DAVID. <i>See</i> Lim, Daeyoung, Park, Beomjo, Nott, David, Wang, Xueou, and Choi, Taeryon | 237–249 |
| LIANG, HUA. <i>See</i> Huang, Hailin, Shangguan, Jizi, Li, Yuanzhang, and Liang, Hua | 151–156 | OUYANG, ZHENGQING. <i>See</i> Zhang, Yuping, Ouyang, Zhengqing, Qian, Wei-Jun, Smith, Richard D., Wong, Wing Hung, and Davis, Ronald W. | 465–474 |
| LIM, DAEYOUNG, PARK, BEOMJO, NOTT, DAVID, WANG, XUEOU, AND CHOI, TAERYON. Sparse signal shrinkage and outlier detection in high-dimensional quantile regression with variational Bayes | 237–249 | PARK, BEOMJO. <i>See</i> Lim, Daeyoung, Park, Beomjo, Nott, David, Wang, Xueou, and Choi, Taeryon | 237–249 |
| LIN, JIANXIN. <i>See</i> Kim, Sungduk, Chen, Ming-Hui, Ibrahim, Joseph, Shah, Arvind, and Lin, Jianxin | 485–500 | | |
| LIN, LIFENG, CHU, HAITAO, AND HODGES, JAMES S. On evidence cycles in network meta-analysis | 425–436 | | |
| LIN, YE. <i>See</i> Liu, Yue, Lin, Ye, Zhou, Jianhui, and Liu, Lei | 411–422 | | |

| | | | | |
|---|---|---------|--|---|
| QIAN, WEI-JUN. | <i>See</i> Zhang, Yuping, Ouyang, Zhengqing, Qian, Wei-Jun, Smith, Richard D., Wong, Wing Hung, and Davis, Ronald W. | 465–474 | Bayesian $L_{1/2}$ -penalized linear quantile regression analysis with autoregressive errors | 271–286 |
| QIN, YICHEN. | <i>See</i> Li, Yan, Li, Yang, Qin, Yichen, and Yan, Jun | 103–117 | TOMAZELLA, VERA L. D., DE JESUS, SANDRA R., LOUZADA, FRANCISCO, NADARAJAH, SARALEES, AND RAMOS, PEDRO L. | Reference Bayesian analysis for the generalized lognormal distribution with application to survival data |
| QU, SHUANG, ZHANG, JIWEI, AND TAO, JIAN. | Bayesian longitudinal multilevel item response modeling approach for studying individual growth differences | 1–16 | TONG, TIEJUN. | <i>See</i> Shi, Jiandong, Tong, Tiejun, Wang, Yuedong, and Genton, Marc G. |
| RAMOS, PEDRO L. | <i>See</i> Tomazella, Vera L. D., de Jesus, Sandra R., Louzada, Francisco, Nadarajah, Saralees, and Ramos, Pedro L. . | 139–149 | TONG, TIEJUN. | <i>See</i> Yang, Ke, Kwan, Hiu-Yee, Yu, Zhiling, and Tong, Tiejun |
| REGO, ARTHUR T. AND DOS SANTOS, THIAGO R. | Non-Gaussian stochastic volatility model with jumps via Gibbs sampler | 209–219 | TONG, TIEJUN. | <i>See</i> Zhou, Yuejin, Ho, Sze-Yui, Liu, Jiahua, and Tong, Tiejun |
| REN, TUNAN, WANG, FEIFEI, AND WANG, HAN-SHENG. | A sequential naïve Bayes method for music genre classification based on transitional information from pitch and beat ... | 361–371 | TRIKALINOS, THOMAS A. | <i>See</i> Jiao, Yang, Mun, Eun-Young, Trikalinos, Thomas A., and Xie, Minge |
| SHAH, ARVIND. | <i>See</i> Kim, Sungduk, Chen, Ming-Hui, Ibrahim, Joseph, Shah, Arvind, and Lin, Jianxin | 485–500 | VILCA-LABRA, FILIDOR. | <i>See</i> Chaves, Nathalia L., Azevedo, Caio L. N., Vilca-Labra, Filidor, and Nobre, Juvêncio S. |
| SHANGGUAN, JIZI. | <i>See</i> Huang, Hailin, Shangguan, Jizi, Li, Yuanzhang, and Liang, Hua . | 151–156 | WAN, ALAN T. K. | <i>See</i> Fan, Shuqin, Zhao, Wei, Wan, Alan T. K., and Zhou, Yong |
| SHEN, LINGHAO. | <i>See</i> Wang, Chaojie, Shen, Ling-hao, Li, Han, and Fan, Xiaodan | 17–25 | WANG, CHAOJIE, SHEN, LINGHAO, LI, HAN, AND FAN, XIAODAN. | Nonparametric statistical inference and imputation for incomplete categorical data |
| SHI, JIANDONG, TONG, TIEJUN, WANG, YUEDONG, AND GENTON, MARC G. | Estimating the mean and variance from the five-number summary of a log-normal distribution | 519–531 | WANG, FEIFEI. | <i>See</i> Ren, Tunan, Wang, Feifei, and Wang, Hansheng |
| SLAOUI, YOUSRI. | <i>See</i> Helali, Salima and Slaoui, Yousrri | 399–410 | WANG, HANSHENG. | <i>See</i> Ren, Tunan, Wang, Feifei, and Wang, Hansheng |
| SMITH, RICHARD D. | <i>See</i> Zhang, Yuping, Ouyang, Zhengqing, Qian, Wei-Jun, Smith, Richard D., Wong, Wing Hung, and Davis, Ronald W. | 465–474 | WANG, HANSHENG. | <i>See</i> Xu, Ke, Sun, Luping, Liu, Jin, Zhu, Xuening, and Wang, Hansheng |
| SONG, XINYUAN. | <i>See</i> Tian, Yuzhu and Song, Xinyuan | 271–286 | WANG, RUI. | <i>See</i> Cao, Mingxiang, Sun, Peng, He, Daojiang, Wang, Rui, and Xu, Xingzhong . |
| SU, XIAO. | <i>See</i> Eisinger, Robert D., Su, Xiao, and Chen, Yuguo | 157–166 | WANG, XIAOZHOU AND DONG, FANGLI. | Bayesian kernel adaptive grouping learning for multi-dimensional datasets |
| SUN, JIANGUO. | <i>See</i> Du, Mingyue, Li, Huiqiong, and Sun, Jianguo | 181–191 | WANG, XINLEI. | <i>See</i> Zhang, Chiyu, Chen, Min, and Wang, Xinlei |
| SUN, LUPING. | <i>See</i> Xu, Ke, Sun, Luping, Liu, Jin, Zhu, Xuening, and Wang, Hansheng | 261–270 | WANG, XUEOU. | <i>See</i> Lim, Daeyoung, Park, Beomjo, Nott, David, Wang, Xueou, and Choi, Taeryon |
| SUN, PENG. | <i>See</i> Cao, Mingxiang, Sun, Peng, He, Daojiang, Wang, Rui, and Xu, Xingzhong . | 27–36 | WANG, YAPING, ZHU, HONGJIAN, AND LEE, J. JACK. | Evaluation of bias for outcome adaptive randomization designs with binary endpoints |
| TANG, YI. | <i>See</i> Ma, Zhihua, Chen, Ming-Hui, and Tang, Yi | 437–447 | WANG, YUEDONG. | <i>See</i> Shi, Jiandong, Tong, Tiejun, Wang, Yuedong, and Genton, Marc G. |
| TAO, JIAN. | <i>See</i> Qu, Shuang, Zhang, Jiwei, and Tao, Jian | 1–16 | WONG, WING HUNG. | <i>See</i> Zhang, Yuping, Ouyang, Zhengqing, Qian, Wei-Jun, Smith, Richard D., Wong, Wing Hung, and Davis, Ronald W. |
| TIAN, GUO-LIANG. | <i>See</i> Liu, Pengyi, Yuen, Kam Chuen, Wu, Liu-Cang, Tian, Guo-Liang, and Li, Tao | 193–208 | WU, GUANI, LI, YU-CHENG, LU, YI-CHANG, LI, KER-CHAU, AND YUAN, SHINSHENG. | GPU |
| TIAN, YUZHU AND SONG, XINYUAN. | Fully | | | 465–474 |

| | | | |
|---|---------|---|---------|
| Accelerated Liquid Association GALA | 119–125 | cus on rare binary events | 449–464 |
| WU, LIU-CANG. <i>See</i> Liu, Pengyi, Yuen, Kam Chuen, Wu, Liu-Cang, Tian, Guo-Liang, and Li, Tao | 193–208 | ZHANG, HUIMING. <i>See</i> Fan, Yifan, Zhang, Huiming, and Yan, Ting | 385–398 |
| XIE, MINGE. <i>See</i> Jiao, Yang, Mun, Eun-Young, Trikalinos, Thomas A., and Xie, Minge | 533–549 | ZHANG, JIWEI. <i>See</i> Qu, Shuang, Zhang, Jiwei, and Tao, Jian | 1–16 |
| XU, KE, SUN, LUPING, LIU, JIN, ZHU, XUEN-ING, AND WANG, HANSHENG. A spatial autoregression model with time-varying coefficients | 261–270 | ZHANG, KAIMENG AND NG, CHI TIM. Adaptive LASSO regression against heteroscedastic idiosyncratic factors in the covariates | 65–75 |
| XU, XINGZHONG. <i>See</i> Cao, Mingxiang, Sun, Peng, He, Daojiang, Wang, Rui, and Xu, Xingzhong | 27–36 | ZHANG, MINGJUAN, HE, YONG, ZHOU, CHENG, AND ZHANG, XINSHENG. High-dimensional two-sample precision matrices test: an adaptive approach through multiplier bootstrap | 37–48 |
| YAN, JUN. <i>See</i> Li, Yan, Li, Yang, Qin, Yichen, and Yan, Jun | 103–117 | ZHANG, XINSHENG. <i>See</i> Zhang, Mingjuan, He, Yong, Zhou, Cheng, and Zhang, Xinsheng | 37–48 |
| YAN, TING. <i>See</i> Fan, Yifan, Zhang, Huiming, and Yan, Ting | 385–398 | ZHANG, YUPING, OUYANG, ZHENGQING, QIAN, WEI-JUN, SMITH, RICHARD D., WONG, WING HUNG, AND DAVIS, RONALD W. Meta-analysis of peptides to detect protein significance | 465–474 |
| YANG, KE, KWAN, HIU-YEE, YU, ZHILING, AND TONG, TIEJUN. Model selection between the fixed-effects model and the random-effects model in meta-analysis | 501–510 | ZHAO, WEI. <i>See</i> Fan, Shuqin, Zhao, Wei, Wan, Alan T. K., and Zhou, Yong | 221–235 |
| YIN, ANQI AND YUAN, AO. Multi-dimensional classification with semiparametric mixture model | 347–359 | ZHOU, CHENG. <i>See</i> Zhang, Mingjuan, He, Yong, Zhou, Cheng, and Zhang, Xinsheng | 37–48 |
| YIN, GUOSHENG. <i>See</i> Lam, Chi Kin, Jin, Huaqing, Jiang, Fei, and Yin, Guosheng ... | 251–260 | ZHOU, HAIBO. <i>See</i> Lu, Tsui-Shan, Kang, Sangwook, and Zhou, Haibo | 373–383 |
| YU, ZHILING. <i>See</i> Yang, Ke, Kwan, Hiu-Yee, Yu, Zhiling, and Tong, Tiejun | 501–510 | ZHOU, JIANHUI. <i>See</i> Liu, Yue, Lin, Ye, Zhou, Jianhui, and Liu, Lei | 411–422 |
| YUAN, AO. <i>See</i> Yin, Anqi and Yuan, Ao | 347–359 | ZHOU, YONG. <i>See</i> Fan, Shuqin, Zhao, Wei, Wan, Alan T. K., and Zhou, Yong | 221–235 |
| YUAN, HUILING, MU, YAN, AND ZHOU, YONG. Leverage effect in high-frequency data with market microstructure | 91–101 | ZHOU, YONG. <i>See</i> Yuan, Huiling, Mu, Yan, and Zhou, Yong | 91–101 |
| YUAN, SHINSHENG. <i>See</i> Wu, Guani, Li, Yu-Cheng, Lu, Yi-Chang, Li, Ker-Chau, and Yuan, Shinsheng | 119–125 | ZHOU, YUEJIN, HO, SZE-YUI, LIU, JIAHUA, AND TONG, TIEJUN. Hypothesis testing for normal distributions: a unified framework and new developments | 167–179 |
| YUEN, KAM CHUEN. <i>See</i> Liu, Pengyi, Yuen, Kam Chuen, Wu, Liu-Cang, Tian, Guo-Liang, and Li, Tao | 193–208 | ZHU, FUKANG. <i>See</i> Cui, Yan, Zhu, Fukang, and Li, Wai Keung | 77–89 |
| ZHANG, CHIYU, CHEN, MIN, AND WANG, XINLEI. Statistical methods for quantifying between-study heterogeneity in meta-analysis with fo- | | ZHU, HONGJIAN. <i>See</i> Wang, Yaping, Zhu, Hongjian, and Lee, J. Jack | 287–315 |
| | | ZHU, XUENING. <i>See</i> Xu, Ke, Sun, Luping, Liu, Jin, Zhu, Xuening, and Wang, Hansheng | 261–270 |